



# Crossroads Collection

# Table Of Contents

Terms and Conditions of Sale	2
General Specifications	4
Typical Layouts	7
Platforms and Pedestals	8
Worksurfaces and Supports	16
Wall Shelf and Tack Panels	20
Storage Towers	21
Overhead Storage	24
Tack Panels	30

#### Prices

All prices herein are delivered list prices effective the date printed on the cover and supersede all other published price lists. Architectural Response Kollection, Inc. reserves the right to change prices and specifications without prior notice.

Pricing shown does not include installation, taxes, packaging, crating or storage. Orders are acknowledged with net prices. Minimum order charge is \$50 net.

#### Acknowledgement

Each order will be acknowledged. This acknowledgement is the final agreement between Architectural Response Kollection, Inc. and the customer, superseding all previous communications regarding the order.

# Product Design

Architectural Response Kollection, Inc. reserves the right to make changes in design and construction or discontinue products without prior notice.

# Terms

Our terms are Net 30 days. Credit references and resale certificate must be submitted prior to receipt of your initial order. Open account status or terms of sale may be established at the discretion of Architectural Response Kollection, Inc. After 30 days from date of invoice a 1 1/2% interest charge will be added on any unpaid balance. Architectural Response Kollection, Inc. may retain a security interest in the furniture until full payment of the invoice.

#### **Ordering Procedures**

Orders should be submitted through our authorized Factory Representative or may be sent directly to: Architectural Response Kollection, Inc. 2918 Halladay Street Santa Ana, California 92705

Tel. 714 241.7100 Toll-free 888 241.7100 Fax. 714 241.7600

# Cancellations and Changes

Request for cancellation and changes will be accepted if they are of a reasonable nature as determined by Architectural Response Kollection, Inc., and they are received in written form prior to the start of production. To cancel an order a fee of 25% or more may be imposed at our discretion. Change orders for products in production are based on our ability to conform and will also be subject to an appropriate fee to be based on our expenses. Special product orders may not be cancelled.

#### Packing

All prices are for blanket wrap. For special packing requirements, contact the sales office. All weights stated herein are approximate. All products are shipped according to freight regulations. The ordering party bears the risk of loss or damage during shipment.

#### Delivery and Freight Charges

All shipments are FAS. point of shipment, freight prepaid and allowed to one continental U.S. destination. All shipments outside the continental United States will be shipped FAS origin, freight prepaid to point of embarkation. All charges beyond point of embarkation are collect. Orders in production will be shipped as scheduled and cannot be held.

Architectural Response Kollection, Inc. reserves the right to select the most appropriate carrier and routing for all shipments.

Inside delivery and installation services are not included in the pricing shown.

Orders will be invoiced within 48 hours after notifying the customer of completion. If customer is unable to accept delivery of merchandise when ready for shipment, Architectural Response Kollection, Inc. may transfer the merchandise to storage. All costs including transportation will be at customers expense.

A storage charge of 11/2% of invoice will be assessed for every 30 days, or any part thereof, that merchandise remains in storage. Architectural Response Kollection, Inc. considers transfer to storage the equivalent of delivery for all purposes, including invoicing and payment. Customers will bear

all risk of damage or loss during storage.

Architectural Response Kollection, Inc. is not liable for any delay for failure to deliver products due to: fires, floods, accidents, labor strikes, lock outs, earthquakes, delay or failure of material supply sources, acts of God, or any other causes beyond Architectural Response Kollection, Inc.'s control.

#### Claims

Architectural Response Kollection, Inc. takes every precaution to assure proper inspection of the loading and packing of all merchandise. Our liability ceases when we receive a clear bill of lading at our shipping dock. This is an acknowledgement by the transportation company that the merchandise was received in good condition.

# Damaged Merchandise

Do not refuse merchandise damaged in transit. All shipments are delivered to the transportation company in good condition. Architectural Response Kollection, Inc.'s liability ceases at that time. If a shipment is received damaged you should immediately file a claim with the transportation company.

#### Concealed Damage and Shortages

Customers are protected from concealed damage and shortages if they file claims with the carrier within five days of delivery. ARK suggests that the words "subject to inspection" accompany signature if goods are crated or cartoned and thus cannot be examined at time of receipt. Any claims for shipping damage must be filed by the customer with the carrier within five days of receipt.

# Repair Charges

Factory authorization must be secured from Architectural Response Kollection, Inc. prior to incurring repair charges if Architectural Response Kollection, Inc. is expected to pay these charges.

Merchandise may not be returned without our prior written authorization along with shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to Architectural Response Kollection, Inc.'s facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

### Warranty

Architectural Response Kollection, (ARK), warrants that its products are free from defects in materials and workmanship given normal use and care for ten years from the date of shipment. At its option, Architectural Response Kollection, (ARK), will repair or replace with comparable product, free of charge to the customer, any product, part or component which fails under normal use as a result of such defect. This warranty is made by Architectural Response Kollection (ARK) to the original customer for as long as the original customer owns and uses the product. Please follow the procedures described below to process warranty issues:

- 1. Contact Customer Care and provide them with the information on the product in question and the purchase order number or acknowledgement number and a detailed description of the warranty issue. This information is mandatory before the claim can be processed.
- 2. Customer Care will determine and preapprove all resolutions to the claim such as replacement units, service parts, labor and repair charges. Upon approval, resolutions will be assigned an authorization number.
- 3. The authorization number must be included on all invoices for reimbursement. Any unauthorized charges will not be the responsibility of Architectural Response Kollection, (ARK).

Architectural Response Kollection, (ARK), warrants all Custom products to be free from defects in workmanship given normal use and care for three years from the date of shipment.

This warranty does not cover:

• Wood furniture is made of naturally variable raw materials. Differences in grain

character and color between wood species are naturally occurring variations and not within the control of the manufacturer nor considered defects under this warranty.

- Natural variations in marble and leather are not considered defects under this warranty.
- Damage caused by a freight carrier.
- C.O.M. (Customer's Own Material) or any other non-standard Architectural Response Kollection, (ARK), material specified by the customer is not warranted. This includes attributes such as appearance, durability, quality, colorfastness, etc.
- Alterations to the product not expressly authorized by ARK or products considered to be of consumable nature, such as bulbs, light ballast, and certain electronic products.
   Architectural Response Kollection's warranty is only valid if the products are given normal and proper use, and installed properly by experienced professional installers versed in working on high end casegoods.
   Architectural Response Kollection assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

Facilities Managers and users are urged to make periodic inspections to look for damages or signs of structural fatigue incurred in daily handling and use. Examinations must include the drawer slides, hanging file bars, screws or fasteners, and any other points of stress. If any problems are found, the product should be taken out of service until properly repaired.

Except as expressly set forth above, there are no other warranties either express or implied, including any warranty of merchantability or fitness for any particular purpose. We exclude and will not pay consequential or incidental damages under this warranty.

As the manufacturer of your furniture, we stand behind our craftsmanship and pledge to do everything we can to resolve any problems you have within the terms of this warranty as quickly as possible. If you have followed the procedures described in the warranty and your problem has not been resolved to your satisfaction, you can write or call us directly. Please relate all the pertinent facts and send your letter to:

Architectural Response Kollection, (ARK). ATTN: Customer Care 2918 Halladay Street Santa Ana, California 92705 888.241.7100

#### Care and Maintenance

When cleaning, use a soft cotton cloth moistened with a mild soap and warm water solution and dry immediately. ARK does not recommend the use of waxes or polishes. Visit www.ark-inc.com to download our full care and maintenance brochure.

## Color and Grain Matching

Different wood species offer unique texture and grain. Variations in finish color and value may occur due to the natural characteristics of wood. Architectural Response Kollection, Inc. carefully selects all materials used in every product to minimize the natural variation in materials. Exact color match is not possible. When re-ordering furniture for an existing project, where color change has occurred as a natural part of the aging process, please provide sample if color matching is critical.

#### COM

COM is Customer's Own Material.
Customer must take full responsibility for selecting, purchasing and shipping COM to Architectural Response Kollection, Inc.
A sample must first be sent for Architectural Response Kollection, Inc.'s approval as to whether or not it can be applied on our product.

All shipments must be clearly marked with the customer's name and customer order number.

Your order should indicate which side of the material is to be exposed and if special application instructions apply. Specify the supplier's name, material number, and description. If the fabric is a stripe or pattern, specify vertical or horizontal upholstery application. In the absence of instructions, Architectural Response Kollection, Inc. will determine the appropriate application.

Yardage requirements shown in the price list assume 60" wide plain fabric.

# Specifications

#### Standard Features

Locks are standard on all drawer pedestals. Lock finish is brushed nickel.

Pulls are standard on all drawers and doors except overhead storage doors. Pulls finish is brushed nickel.

Floor glides provide 1" vertical adjustment.

Box drawers have one fully adjustable drawer divider.

Tack Panel Fabric Selections

#### Maharam

- Tek-Wall 1001
- Tek-Wall Scatter
- Tek-Wall Stream

COM fabrics approved by ARK can be substituted with no reduction in price.

#### Materials

The first step towards building a quality piece of furniture lies in obtaining the finest materials. ARK has the most stringent veneer and hardwood grading standards in the industry. These fine materials are finished with a conversion varnish system. Conversion varnish offers superior performance over other finishing processes.

# Standard Finishes

Wood	Finish
Cherry	Espresso
	Cherry Mocha
Maple	Latte
	Mocha


Other species available. Call factory for pricing.

Standard finishes are in a 45 sheen. Prices listed are with open pore finishes. Semi-filled tops are available at a 10% upcharge. Fully-filled tops are available at a 20% upcharge.


# Custom Finishes

It would take an impossibly large standard color palette to satisfy the varied project requirements within the office furniture industry. To accommodate that extensive color spectrum, we will gladly match finishes to a sample provided to us at a nominal up-charge.

# Low, Mid and High Credenza Dimensions




Pulls




#### File Drawers


File drawers include both fixed and repositionable file bars. Available filing set-ups vary according to the type of drawer.



Crossroads Collection




	Model No.	Description	Material	Price
Pricing	C/PL-2472-W (2)	Platform	Wood	940
	C/PED-3624-14-S-W	Low Storage Pedestal	Wood	700
	C/PED-1824-14-BBB-W	Low Box/Box/Box Pedestal	Wood	850
	C/PED-3024-14-F-W	Low File Pedestal	Wood	800
	C/SP-324-14-W (2)	End/Mid Support	Wood	500
	C/PBS-2433-W	Platform Bottom Shelf	Wood	135
	C/PBS-2421-W	Platform Bottom Shelf	Wood	95
	C/WS-2472-W (2)	Worksurface	Wood	850
	C/PL-2048-W	Platform	Wood	310
	C/PED-1820-22-BBF-W	Mid Box/Box/File Pedestal	Wood	1100
	C/PED-3020-22-BBF-W	Mid Box/Box/File Pedestal	Wood	1300
	C/WS-2096-W	Worksurface	Wood	500
	C/WR-20-W	Worksurface Riser	Wood	220
	C/CB-21-W	Cross Beam Support	Wood	130
	C/DT-3678-R-W	Desk Top	Wood	675
	C/WR-36-W	Worksurface Riser	Wood	250
	C/MB-60-W	Desk Modesty Beam Support	Wood	340
	C/BP-1828-W	Box Panel Support	Wood	600
	C/SH-54-W	Wall Shelf	Wood	600
	C/TP-1654	Tack Panel	Fabric	<u>500</u> 11,395




20" Platforms	Model No.	Depth	Width	Height	(W) poom	Laminate (L)	Wt.
Four Legs	C/PL-2018-( )	20	18	5 <sup>1</sup> /4	240	230	
	C/PL-2024-( )	20	24	5 <sup>1</sup> /4	260	240	
	C/PL-2030-( )	20	30	5 <sup>1</sup> /4	270	260	
	C/PL-2036-( )	20	36	5 <sup>1</sup> /4	280	270	
Č	C/PL-2042-( )	20	42	5 <sup>1</sup> /4	290	280	
	C/PL-2048-( )	20	48	5 <sup>1</sup> /4	310	290	



C/PL-2054-()	20	54	5 <sup>1</sup> /4	420 390
C/PL-2060-( )	20	60	5 <sup>1</sup> /4	430 410
C/PL-2066-( )	20	66	5 <sup>1</sup> /4	440 420
C/PL-2072-( )	20	72	5 <sup>1</sup> /4	460 430
C/PL-2078-( )	20	78	5 <sup>1</sup> /4	470 440
C/PL-2084-( )	20	84	5 <sup>1</sup> /4	480 460



C/PL-2090-( )	20	90	5 <sup>1</sup> /4	580 550
C/PL-2096-( )	20	96	5 <sup>1</sup> /4	600 560
C/PL-20102-( )	20	102	5 <sup>1</sup> /4	610 570
C/PL-20108-( )	20	108	5 <sup>1</sup> /4	620 580
C/PL-20114-( )	20	114	5 <sup>1</sup> /4	630 600
C/PL-20120-( )	20	120	5 <sup>1</sup> /4	650 610




C/PL-20126-()	20	126	5 <sup>1</sup> /4	760	710	
C/PL-20132-()	20	132	5 <sup>1</sup> /4	770	720	
C/PL-20138-( )	20	138	5 <sup>1</sup> /4	780	730	
C/PL-20144-()	20	144	5 <sup>1</sup> /4	800	750	

 $(\mathbf{W})$ ood or  $(\mathbf{L})$ aminate must be specified as part of model number.

Low 20" Deep Pedestals & Supports	Model No.	Depth	Width	Height	(W) poom	Laminate (L)	Wt.
Three-Box Pedestal	C/PED-1820-14-BBB-()	20	18	14	825	750	
<u> </u>	C/PED-2420-14-BBB-( )	20	24	14	875	825	
	C/PED-3020-14-BBB-()	20	30	14	925	850	
	C/PED-3620-14-BBB-( )	20	36	14	975	925	

File Pedestal




C/PED-1820-14-F-()	20	18	14	625 575	
C/PED-2420-14-F-()	20	24	14	725 675	
C/PED-3020-14-F-()	20	30	14	750 700	
C/PED-3620-14-F-( )	20	36	14	850 750	

Swing Door Storage Pedestal




C/PED-1820-14-S-()	20	18	14	425 300
C/PED-2420-14-S-( )	20	24	14	550 375
C/PED-3020-14-S-()	20	30	14	600 450
C/PED-3620-14-S-()	20	36	14	625 475

End/Mid Support C/SP-320-14-() 20 3 14 225 200



Platform Bottom Shelf




C/PBS-2012-()	20	12	<sup>3</sup> /4	65	60	
C/PBS-2015-( )	20	15	<sup>3</sup> /4	70	65	
C/PBS-2018-()	20	18	<sup>3</sup> /4	75	70	
C/PBS-2021-()	20	21	<sup>3</sup> /4	85	75	
C/PBS-2024-()	20	24	<sup>3</sup> /4	90	85	
C/PBS-2027-( )	20	27	<sup>3</sup> /4	95	90	
C/PBS-2030-()	20	30	<sup>3</sup> /4	100	95	
C/PBS-2033-( )	20	33	3/4	110	100	
C/PBS-2036-()	20	36	<sup>3</sup> /4	115	110	
C/PBS-2039-()	20	39	<sup>3</sup> /4	120	115	
C/PBS-2042-( )	20	42	3/4	125	120	-

 $(\mathbf{W})$ ood or  $(\mathbf{L})$ aminate must be specified as part of model number.

# Crossroads Collection

#### Laminate (L) Model No. Wood (W) Width Mid 20" Deep Pedestals & Supports Box/Box/File Pedestal C/PED-1820-22-BBF-() 20 18 22<sup>1</sup>/<sub>2</sub> 1100 975 C/PED-2420-22-BBF-() 20 24 22<sup>1</sup>/2 1225 1125 C/PED-3020-22-BBF-() 30 221/2 1300 1200 20 C/PED-3620-22-BBF-() 20 36 221/2 1375 1300

Roy/File	Pedestal
DOX/FIIE	reuestai



C/PED-1820-22-BF-()	20	18 22¹/2	925	825	
C/PED-2420-22-BF-( )	20	24 22 <sup>1</sup> / <sub>2</sub>	1075	950	
C/PED-3020-22-BF-( )	20	30 22 <sup>1</sup> / <sub>2</sub>	1125	1000	
C/PED-3620-22-BF-( )	20	36 22 <sup>1</sup> / <sub>2</sub>	1175	1050	


Swing Door Storage Pedestal





C/PED-1820-22-S-( )	20	18 22¹/2	550	350	
C/PED-2420-22-S-( )	20	24 22 <sup>1</sup> / <sub>2</sub>	675	475	
C/PED-3020-22-S-( )	20	30 22 <sup>1</sup> / <sub>2</sub>	750	550	
C/PED-3620-22-S-( )	20	36 22 <sup>1</sup> / <sub>2</sub>	825	600	

End/Mid Support C/SP-320-22-() 20 3 22<sup>1</sup>/2 **250 225** 



# Crossroads Collection

High 20" Deep Pedestals & Supports	Model No.	Depth	Width	Height	(W) poom	Laminate (L)	Wt.
Box/Box/File Pedestal	C/PED-1820-26-BBF-( )	20	18	26 <sup>1</sup> / <sub>2</sub>	1175	1050	
File/File Pedestal	C/PED-2420-26-BBF-( )	20	24	26 <sup>1</sup> /2	1325	1200	
	C/PED-1820-26-FF-( )	20	18	26 <sup>1</sup> / <sub>2</sub>	1125	1000	
	C/PED-2420-26-FF-()	20	24	26 <sup>1</sup> / <sub>2</sub>	1300	1200	


Lateral File Pedestal	C/PED-3020-26-FF-( )	20	18 26¹/2	1375	1250	
^	C/PED-3620-26-FF-()	20	24 26 <sup>1</sup> / <sub>2</sub>	1500	1375	

ombo Pedestal	C/PED-3020-26-CBF-( )	20	18	26 <sup>1</sup> /2	1700	1575
	C/PED-3620-26-CBF-( )	20	24	26 <sup>1</sup> / <sub>2</sub>	1800	1675


wing Door Storage Pedestal	C/PED-1820-26-S-( )	20	18	26 <sup>1</sup> /2	675	450
	C/PED-2420-26-S-( )	20	24	26 <sup>1</sup> /2	850	625
	C/PED-3020-26-S-( )	20	30	26 <sup>1</sup> /2	950	700
	C/PED-3620-26-S-( )	20	36	26 <sup>1</sup> / <sub>2</sub>	1075	800

 $(\boldsymbol{W}) ood \ or \ (\boldsymbol{L}) aminate must be specified as part of model number.$ 


24" Platforms	Model No.	Depth	Width	Height	(W) pooM	Laminate (L)	Wt.
Four Legs	C/PL-2418-( )	24	18	5 <sup>1</sup> /4	250	190	
	C/PL-2424-( )	24	24	5 <sup>1</sup> /4	270	250	
	C/PL-2430-( )	24	30	5 <sup>1</sup> /4	280	270	
	C/PL-2436-( )	24	36	5 <sup>1</sup> /4	290	280	
S	C/PL-2442-( )	24	42	5 <sup>1</sup> /4	300	290	
	C/PL-2448-( )	24	48	5 <sup>1</sup> /4	320	300	



C/PL-2454-( )	24	54	5 <sup>1</sup> /4	430	400	_
C/PL-2460-( )	24	60	5 <sup>1</sup> /4	440	420	
C/PL-2466-()	24	66	5 <sup>1</sup> /4	450	430	
C/PL-2472-( )	24	72	5 <sup>1</sup> /4	470	440	
C/PL-2478-( )	24	78	5 <sup>1</sup> /4	480	450	
C/PL-2484-( )	24	84	5 <sup>1</sup> /4	490	470	



C/PL-2490-()	24	90	5 <sup>1</sup> /4	600	570	
C/PL-2496-( )	24	96	5 <sup>1</sup> /4	620	580	
C/PL-24102-()	24	102	5 <sup>1</sup> /4	630	590	
C/PL-24108-()	24	108	5 <sup>1</sup> /4	640	600	
C/PL-24114-()	24	114	5 <sup>1</sup> /4	650	620	
C/PL-24120-()	24	120	5 <sup>1</sup> /4	670	630	




C/PL-24126-()	24	126	5 <sup>1</sup> /4	780	730	
C/PL-24132-( )	24	132	5 <sup>1</sup> /4	790	740	
C/PL-24138-( )	24	138	5 <sup>1</sup> /4	800	750	
C/PL-24144-()	24	144	5 <sup>1</sup> /4	820	770	

 $(\mathbf{W})$ ood or  $(\mathbf{L})$ aminate must be specified as part of model number.


Model No.	Depth	Width	Height	(W) poo/M	Laminate (L)	Wt.
C/PED-1824-14-BBB-( )	24	18	14	850	750	
C/PED-2424-14-BBB-( )	24	24	14	925	850	
C/PED-3024-14-BBB-( )	24	30	14	950	875	
C/PED-3624-14-BBB-()	24	36	14	1000	925	
	©	C/PED-1824-14-BBB-()     24       C/PED-2424-14-BBB-()     24       C/PED-3024-14-BBB-()     24	C/PED-1824-14-BBB-()     24     18       C/PED-2424-14-BBB-()     24     24       C/PED-3024-14-BBB-()     24     30	C/PED-1824-14-BBB-()     24     18     14       C/PED-3024-14-BBB-()     24     24     14       C/PED-3024-14-BBB-()     24     30     14	C/PED-1824-14-BBB-()     24     18     14     850       C/PED-2424-14-BBB-()     24     24     14     925       C/PED-3024-14-BBB-()     24     30     14     950	C/PED-1824-14-BBB-()       24       18       14       850       750         C/PED-2424-14-BBB-()       24       24       14       925       850         C/PED-3024-14-BBB-()       24       30       14       950       875

File Pedestal



C/PED-1824-14-F-( )	24	18	14	625	575	
C/PED-2424-14-F-()	24	24	14	750	675	
C/PED-3024-14-F-( )	24	30	14	800	725	
C/PED-3624-14-F-( )	24	36	14	875	800	


Swing Door Storage Pedestal



C/PED-1824-14-S-( )	24	18	14	450 300
C/PED-2424-14-S-( )	24	24	14	575 425
C/PED-3024-14-S-( )	24	30	14	625 450
C/PED-3624-14-S-( )	24	36	14	700 500

End/Mid Support C/SP-324-14-() 24 3 14 250 225

Platform Bottom Shelf



C/PBS-2412-( )	24	18	<sup>3</sup> /4	75	70	
C/PBS-2415-( )	24	24	3/4	85	75	
C/PBS-2418-( )	24	24	<sup>3</sup> /4	90	85	
C/PBS-2421-( )	24	24	<sup>3</sup> /4	95	90	
C/PBS-2424-( )	24	24	<sup>3</sup> /4	115	110	
C/PBS-2427-( )	24	24	<sup>3</sup> /4	120	115	
C/PBS-2430-( )	24	24	<sup>3</sup> /4	125	120	
C/PBS-2433-( )	24	24	<sup>3</sup> /4	135	125	
C/PBS-2436-( )	24	24	<sup>3</sup> /4	145	140	
C/PBS-2439-( )	24	24	<sup>3</sup> /4	150	145	
C/PBS-2442-( )	24	24	<sup>3</sup> /4	160	150	

 $(\mathbf{W})$ ood or  $(\mathbf{L})$ aminate must be specified as part of model number.

Mid 24" Deep Pedestals & Supports



Box/Box/File Pedestal



Model No.	Depth	Width	Height			Wt.
C/PED-1824-22-BBF-()	24	18	22 <sup>1</sup> /2	112	5 1000	
C/PED-2424-22-BBF-( )	24	24	22 <sup>1</sup> / <sub>2</sub>	125	1125	
C/PED-3024-22-BBF-( )	24	30	22 <sup>1</sup> / <sub>2</sub>	135	0 1225	
C/PED-3624-22-BBF-()	24	36	22 <sup>1</sup> /2	142	5 1300	

# Box/File Pedestal





C/PED-1824-22-BF-()	24	18 22¹/2	975	850
C/PED-2424-22-BF-( )	24	24 22 <sup>1</sup> / <sub>2</sub>	1100	975
C/PED-3024-22-BF-( )	24	30 22 <sup>1</sup> / <sub>2</sub>	1175	1050
C/PED-3624-22-BF-( )	24	36 22 <sup>1</sup> / <sub>2</sub>	1250	1125


# Swing Door Storage Pedestal





C/PED-1824-22-S-()	24	18 22¹/2	600	350	
C/PED-2424-22-S-()	24	24 22 <sup>1</sup> / <sub>2</sub>	725	500	
C/PED-3024-22-S-( )	24	30 221/2	800	550	
C/PED-3624-22-S-( )	24	36 22 <sup>1</sup> / <sub>2</sub>	875	600	

# End/Mid Support



C/SP-324-22-( )	2.4	2	221/2	200	250
C/3P-324-22-( )	24	- 3	ZZ'12	300	230

High 24" Deep Pedestals & Supports	Model No.	Depth	Width	Height	(W) poom	Laminate (L)	Wt.
Box/Box/File Pedestal	C/PED-1824-26-BBF-( )	24	18	26 <sup>1</sup> / <sub>2</sub>	1200	1075	
File/File Pedestal	C/PED-2424-26-BBF-( )	24	24	26 <sup>1</sup> / <sub>2</sub>	1350	1225	
	C/PED-1824-26-FF-( )	24	18	26 <sup>1</sup> /2	1175	1000	
	C/PED-2424-26-FF-()	24	24	26 <sup>1</sup> / <sub>2</sub>	1350	1200	

Lateral File Pedestal	C/PED-3024-26-FF-( )	24	18 26¹/2	1450	1300
^	C/PED-3624-26-FF-( )	24	24 26 <sup>1</sup> /2	1575	1425
	·				

		BF-( )		24		18	26 <sup>1</sup> / <sub>2</sub>	1750	1600	
1850	F-(	BF-( )		24		24	26 <sup>1</sup> /2	1850	1700	
	ft	Left (Ri	Righ	nt Sho	wr	n)				
		zere (m)	ug.	10 3110		11/				

PED-2424-26-S-( )	2/	2.4	2.017		
,	24	24	26 <sup>1</sup> /2	950	675
PED-3024-26-S-( )	24	30	26 <sup>1</sup> /2	1050	750
PED-3624-26-S-( )	24	36	26 <sup>1</sup> /2	1175	850
	()				


 $(\boldsymbol{W}) ood \ or \ (\boldsymbol{L}) aminate must be specified as part of model number.$ 

Worksurfaces	Model No.	Depth	Width	Height	(W) poom	Laminate (L)	Wt.
20" Deep Worksurface	C/WS-2018-( )	20	18	1 <sup>1</sup> /4	100	70	
	C/WS-2024-( )	20	24	1 <sup>1</sup> /4	125	80	
	C/WS-2030-( )	20	30	1 <sup>1</sup> /4	175	100	
	C/WS-2036-( )	20	36	11/4	200	120	
	C/WS-2042-( )	20	42	11/4	225	140	
	C/WS-2048-( )	20	48	1 1/4	250	150	
	C/WS-2054-( )	20	54	1 1/4	300	180	
	C/WS-2060-( )	20	60	1 <sup>1</sup> /4	325	200	
	C/WS-2066-( )	20	66	11/4	350	220	
	C/WS-2072-( )	20	72	1 <sup>1</sup> /4	375	240	
	C/WS-2078-( )	20	78	1 <sup>1</sup> /4	425	250	
	C/WS-2084-( )	20	84	1 <sup>1</sup> /4	450	270	
	C/WS-2090-( )	20	90	1 <sup>1</sup> /4	475	290	
	C/WS-2096-( )	20	96	1 <sup>1</sup> /4	500	310	
	C/WS-20102-( )	20	102	1 <sup>1</sup> /4	550	330	
	C/WS-20108-( )	20	108	1 <sup>1</sup> /4	575	350	
	C/WS-20114-( )	20	114	1 <sup>1</sup> /4	600	370	
	C/WS-20120-( )	20	120	1 <sup>1</sup> /4	625	390	
	C/WS-20126-( )	20	126	1 <sup>1</sup> /4	675	400	
	C/WS-20132-( )	20	132	1 <sup>1</sup> /4	700	420	
	C/WS-20138-( )	20	138	1 <sup>1</sup> /4	725	440	
	C/WS-20144-( )	20	144	1 <sup>1</sup> /4	750	460	
24" Deep Worksurface	C/WS-2418-( )	24	18	1 <sup>1</sup> /4	125	80	
<u>^</u>	C/WS-2424-( )	24	24	11/4	175	100	
	C/WS-2430-()	24	30	1 <sup>1</sup> /4	200	120	
	C/WS-2436-( )	24	36	11/4	225	140	
	C/WS-2442-( )	24	42	1 <sup>1</sup> /4	250	170	
	C/WS-2448-( )	24	48	11/4	300	190	
	C/WS-2454-( )	24	54	11/4	325	210	
	C/WS-2460-( )	24	60	1 <sup>1</sup> /4	350	240	
	C/WS-2466-( )	24	66	1 <sup>1</sup> /4	375	250	
	C/WS-2472-( )	24	72	1 <sup>1</sup> /4	425	280	
	C/WS-2478-( )	24	78	1 <sup>1</sup> /4	450	300	
	C/WS-2484-( )	24	84	1 <sup>1</sup> /4	475	320	
	C/WS-2490-( )	24	90	1 <sup>1</sup> /4	550	350	
	C/WS-2496-( )	24	96	1 <sup>1</sup> /4	600	370	
	C/WS-24102-( )	24	102	1 <sup>1</sup> /4	625	390	
	C/WS-24108-()	24	108	1 <sup>1</sup> /4	675	420	
	C/WS-24114-()	24	114	1 <sup>1</sup> /4	700	440	
	C/WS-24120-()	24	120	1 <sup>1</sup> /4	800	460	
	C/WS-24126-()	24	126	1 <sup>1</sup> /4	825	490	
	C/WS-24132-( )	24	132	1 <sup>1</sup> /4	850	510	
	C/WS-24138-()	24	138	1 <sup>1</sup> /4	875	530	
	C/WS-24144-( )	24	144	1 <sup>1</sup> /4	925	550	

						$\widehat{\Box}$	
	Model No.				(W) pood	Laminate (L)	
	apa	Depth	Width	Height	poo	nin	
Desk Tops	$\Sigma$	Del	$\stackrel{\circ}{\geq}$	He.	<b>X</b>	Lan	Wt
Rectangular	C/DT-3060-R-( )	30	60	1 ¹/4	450	300	
	C/DT-3066-R-( )	30	66	1 ¹/4	475	325	
	C/DT-3672-R-( )	36	72	1 ¹/4	600	425	
	C/DT-3678-R-( )	36	78	1 <sup>1</sup> /4	675	450	
	C/DT-3684-R-( )	36	84	1 ¹/4	700	475	
	C/DT-3690-R-( )	36	90	1 ¹/4	800	525	
	C/DT-3696-R-( )	36	96	1 1/4	850	550	
	C/DT-4284-R-( )	42	84	1 <sup>1</sup> /4	825	575	
	C/DT-4290-R-( )	42	90	1 1/4	850	600	
	C/DT-4296-R-( )	42	96	1 1/4	925	675	
Angled Front	C/DT-24/3060-AF-()	30	60	1 <sup>1</sup> /4	500	325	
	C/DT-24/3066-AF-()	30	66	1 <sup>1</sup> /4	550	350	
	C/DT-30/3672-AF-()	36	72	1 ¹/4	700	475	
	C/DT-30/3678-AF-()	36	78	1 ¹/4	750	500	
	C/DT-30/3684-AF-()	36	84	11/4	825	550	
	C/DT-30/3690-AF-()	36	90	1 ¹/4	950	575	
	C/DT-30/3696-AF-()	36	96	1 ¹/4	975	600	
	C/DT-36/4284-AF-()	42	84	1 ¹/4	950	625	
	C/DT-36/4290-AF-()	42	90	1 ¹/4	1000	675	
	C/DT-36/4296-AF-( )	42	96	1 <sup>1</sup> /4	1075	725	
Left Right	<ul> <li>Specify Right or Left</li> </ul>						
Conference	C/DT-3060-C-( )	30	60	1 <sup>1</sup> /4	575	350	
	C/DT-3066-C-( )	30	66	1 ¹/4	625	375	
	C/DT-3672-C-( )	36	72	1 <sup>1</sup> /4	825	500	
	C/DT-3678-C-( )	36	78	1 <sup>1</sup> /4	875	550	
	C/DT-3684-C-( )	36	84	1 <sup>1</sup> /4	950	575	
	C/DT-3690-C-( )	36	90	1 1/4	1075	625	
	C/DT-3696-C-( )	36	96	1 <sup>1</sup> /4	1125	675	
	C/DT-4284-C-( )	42	84	1 <sup>1</sup> /4	1075	700	
	C/DT-4290-C-( )	42	90	1 ¹/4	1175	725	
	C/DT-4296-C-( )	42	96	11/4	1225	800	
				_			-
Bridge	C/BT-2042-R-( )	20	42	1 <sup>1</sup> /4	425	325	
Dhage -	C/BT-2048-R-()	20	48	11/4	450	350	
	C/BT-2054-R-( )	20	54	11/4	475	375	
	C/BT-2060-R-( )	20	60	11/4	500	400	
	C/BT-2442-R-( )	24	42	1 <sup>1</sup> /4	450	225	
	C/BT-2448-R-()	24	48	11/4	475	250	
	C/BT-2454-R-( )	24	54	11/4	500	400	
	C/BT-2460-R-( )	24	60	11/4	550	425	
	• Bridges longer than 42						
	. J	120	_		-	.,	


Desk & Credenza Supports		Model No.	Depth	Width	Height	(W) pooM	Laminate (L)	Wt.
End Panel	Mid	C/EP-2028-()	3	20	27³/4	575	350	
		C/EP-2428-( )	3	24	273/4	600	375	
		C/EP-3028-( )	3	30	27³/4	625	425	
		C/EP-3628-( )	3	36	273/4	700	450	
		C/EP-4228-( )	3	42	27³/4	750	475	
	High	C/EP-2032-( )	3	20	313/4	625	425	
*		C/EP-2432-()	3	24	31³/4	675	450	

Worksurface Riser




C/WR-20-( )	3	20	7 <sup>1</sup> /4	220 170
C/WR-24-( )	3	24	71/4	230 180
C/WR-30-( )	3	30	71/4	240 190
C/WR-36-( )	3	36	7 <sup>1</sup> /4	250 200
C/WR-42-( )	3	42	7 <sup>1</sup> /4	290 220

Cross Beam Support



C/CB-12-()	1 <sup>1</sup> /4	12	7 <sup>1</sup> /4	100	95	
C/CB-17-( )	1 <sup>1</sup> /4	17	71/4	120	110	
C/CB-21-()	1 <sup>1</sup> /4	21	7 <sup>1</sup> /4	130	120	


Desk Modesty Beam Support



Up to 48"	C/MB-(W)-()	1 <sup>1</sup> /4	48	71/4	320 250
49" - 54"	C/MB-(W)-()	11/4	54	71/4	330 270
55" - 60"	C/MB-(W)-( )	1 <sup>1</sup> /4	60	7 <sup>1</sup> /4	340 280
61" - 66"	C/MB-(W)-( )	1 <sup>1</sup> /4	66	7 <sup>1</sup> /4	350 290
67" - 72"	C/MB-(W)-( )	1 <sup>1</sup> /4	72	71/4	370 300
73" - 78"	C/MB-(W)-( )	1 <sup>1</sup> /4	78	7¹/4	380 320

<sup>•</sup> Specify (W)idth of panel


Desk Modesty Panel




Up to 36"	C/MP-(W)-15-()	<sup>3</sup> /4	48	15	320	250
37" - 42"	C/MP-(W)-15-( )	<sup>3</sup> /4	54	15	330	270
43" - 48"	C/MP-(W)-15-( )	<sup>3</sup> /4	54	15	340	280
49" - 54"	C/MP-(W)-15-( )	<sup>3</sup> /4	54	15	350	290
55" - 60"	C/MP-(W)-15-( )	<sup>3</sup> /4	60	15	370	300
61" - 66"	C/MP-(W)-15-( )	<sup>3</sup> /4	66	15	380	320
67" - 72"	C/MP-(W)-15-( )	<sup>3</sup> /4	72	15	390	330
73" - 78"	C/MP-(W)-15-( )	<sup>3</sup> /4	78	15	400	340

<sup>•</sup> Specify (W)idth of panel

		Model No.	Depth	Width	Height	(W) pook	Laminate (L)	Wt.
Box/Box/File Desk Support	Pedestal	C/SPED-1824-28-BBF-( )	24	18	22 <sup>1</sup> /2	1300	1200	
$\wedge$		C/SPED-1830-28-BBF-( )	30	18	22 <sup>1</sup> /2	1350	1225	
		C/SPED-1836-28-BBF-( )	36	18	22 <sup>1</sup> /2	1400	1300	
		C/SPED-1842-28-BBF-( )	42	18	221/2	1525	1400	
	Platform	C/PL-2418-( )	24	18	5 <sup>1</sup> /4	270	260	
		C/PL-3018-( )	30	18	5 <sup>1</sup> /4	280	270	
		C/PL-3618-( )	36	18	5 <sup>1</sup> /4	290	280	
		C/PL-4218-( )	42	18	5 <sup>1</sup> /4	300	290	
Box Panel Support		C/BP-1828-( )	3	18	27³/4	600	550	
		C/BP-2428-()	3		273/4	675	600	
		With brushed aluminum	reveal					








2" Aluminum Legs

C/LEG-2 2 273/4 425 • Sold & priced per pair


C/TB-2628	2 26 27 <sup>3</sup> /4	500
C/TB-3328	2 33 27³/4	575



• Brushed aluminum


# -aminate (L) Model No.

Wall-hung Shelf




2						
C/SH-30-( )	14	30	10	475	450	
C/SH-36-( )	14	36	10	500	475	
C/SH-42-( )	14	42	10	550	500	
C/SH-48-( )	14	48	10	575	550	
C/SH-54-( )	14	54	10	600	575	

16" Tack Panel



C/TP-1630	1	30	16	250
C/TP-1636	1	36	16	325
C/TP-1642	1	42	16	375
C/TP-1648	1	48	16	450
C/TP-1654	1	54	16	500





C/TP-1030	1	30	10	225
C/TP-1036	1	36	10	300
C/TP-1042	1	42	10	350
C/TP-1048	1	48	10	425
C/TP-1054	1	54	10	475


46" Storage Towers	Model No.	Depth	Width	(W) poom	Laminate (L)	Wt.
18" Wide Storage/Box/Box/File	C/ST-2018-46-SBBF-()	20	18 45¹/;	2 <b>2125</b>	1750	
	C/ST-2418-46-SBBF-( )	24	18 451/2	2 2250	1875	



C/ST-2024-46-SBBF-( )	20	24 45 <sup>1</sup> / <sub>2</sub>	2375	2000
C/ST-2424-46-SBBF-( )	24	24 451/2	2500	2125

C/ST-2030-46-SBBF-()

30" & 36" Wide Storage/Box/Box/File



C/ST-2036-46-SBBF-() 20 36 45<sup>1</sup>/<sub>2</sub> 3250 2875 C/ST-2430-46-SBBF-() 24 30 45<sup>1</sup>/<sub>2</sub> 3125 2750 C/ST-2436-46-SBBF-() 24 36 45<sup>1</sup>/<sub>2</sub> 3375 3000 Glass Doors C/ST-2030-46-SBBF-G-() 20 30 451/2 3250 2875 C/ST-2036-46-SBBF-G-() 20 36 451/2 3500 3125 C/ST-2430-46-SBBF-G-() 24 30 451/2 3375 3000 C/ST-2436-46-SBBF-G-() 24 36 45<sup>1</sup>/<sub>2</sub> 3625 3250


30 451/2

20

3000

2625

30" & 36" Wide Storage/Box/Box/File/Wardrobe




rdrobe	C/ST-2030-46-SBBFW-()	20	30	45 <sup>1</sup> / <sub>2</sub>	3000	2625
	C/ST-2036-46-SBBFW-( )	20	36	45 <sup>1</sup> / <sub>2</sub>	3250	2875
	C/ST-2430-46-SBBFW-( )	24	30	45 <sup>1</sup> /2	3125	2750
	C/ST-2436-46-SBBFW-( )	24	36	45 <sup>1</sup> / <sub>2</sub>	3375	3000
Glass Doors	C/ST-2030-46-SBBFW-G-()	20	30	45 <sup>1</sup> / <sub>2</sub>	3500	3125
	C/ST-2036-46-SBBFW-G-()	20	36	45 <sup>1</sup> / <sub>2</sub>	3750	3375
	C/ST-2430-46-SBBFW-G-()	24	30	45 <sup>1</sup> / <sub>2</sub>	3625	3250
	C/ST-2436-46-SBBFW-G-()	24	36	45 <sup>1</sup> / <sub>2</sub>	3875	3500

58" Storage Towers	Model No.	Depth	Width	Height	(W) poom	Laminate (L)	Wt.
18" Wide Storage/Box/Box/File	C/ST-2018-58-SBBF-( )	20	18	58	2500	2125	
	C/ST-2418-58-SBBF-( )	24	18	58	2750	2375	




24" Wide Storage/Box/Box/File



C/ST-2024-58-SBBF-()	20	24	58	2750 2375
C/ST-2424-58-SBBF-( )	24	24	58	3000 2625


30" & 36" Wide Storage/Box/Box/File





	C/ST-2030-58-SBBF-( )	20	30	58	3500 3125
	C/ST-2036-58-SBBF-()	20	36	58	3750 3375
	C/ST-2430-58-SBBF-( )	24	30	58	3750 3100
	C/ST-2436-58-SBBF-( )	24	36	58	4000 3300
Glass Doors	C/ST-2030-58-SBBF-G-()	20	30	58	4000 3625
	C/ST-2036-58-SBBF-G-( )	20	36	58	4250 3875
	C/ST-2430-58-SBBF-G-( )	24	30	58	4250 3875
	C/ST-2436-58-SBBF-G-( )	24	36	58	4500 4125

30" & 36" Wide Storage/Box/Box/File/Wardrobe





Glass Doors


	C/ST-2030-58-SBBI	FW-( )	20	30	58	3	3500	3125	
	C/ST-2036-58-SBBI	FW-( )	20	36	58	3	3750	3375	
	C/ST-2430-58-SBBI	FW-( )	24	30	58	3	3750	3375	
	C/ST-2436-58-SBBI	FW-( )	24	36	58	4	1000	3625	
rs	C/ST-2030-58-SBBI	FW-G-( )	20	30	58	4	1000	3625	
	C/ST-2036-58-SBBI	FW-G-( )	20	36	58	4	1250	3875	
	C/ST-2430-58-SBBI	FW-G-( )	24	30	58	4	1375	4000	
	C/ST-2436-58-SBBI	FW-G-( )	24	36	58	4	1625	4250	

68" Storage Towers  18" Wide Storage/Box/Box/File	©	20 24	18	70 70	2875 3125	2500 Paminate (1)	Wt.
24" Wide Storage/Box/Box/File	C/ST-2024-70-SBBF-()  C/ST-2424-70-SBBF-()	20	24	70	3125 3375	2750 3000	
30" & 36" Wide Storage/Box/Box/File	C/ST-2030-70-SBBF-( ) C/ST-2036-70-SBBF-( )	20 20	30 36	70 70	4375 4625	4000 4250	
Glass Doors	C/ST-2430-70-SBBF-() C/ST-2436-70-SBBF-() C/ST-2030-70-SBBF-G-() C/ST-2036-70-SBBF-G-() C/ST-2430-70-SBBF-G-()	24 24 20 20 20	30 36 30 36	70 70 70 70 70	4625 4875 4875 5125	4250 4500 4500 4750 4750	
30" & 36" Wide Storage/Box/Box/File/Wardrobe	C/ST-2030-70-SBBFW-() C/ST-2036-70-SBBFW-()	20 20	36 30 36	70 70 70 70	3875 4125	3500 3750	
Glass Doors	C/31-2030-70-3BBI W-G-( )	20	30 36 30 36	70 70 70 70	4125 4375 4375 4625	3750 4000 4000 4250	
*	C/ST-2430-70-SBBFW-G-( ) C/ST-2436-70-SBBFW-G-( )		30 36	70 70	4625 4875	4250 4500	

 $(\boldsymbol{W}) ood \ or \ (\boldsymbol{L}) a minate must be specified as part of model number.$ 


	Model No.	Depth	Width	Height	(W) POOW	Laminate (L)	Wt.
head Storage w/o Doors	C/OS-3017-O	14	30	17	750	0 675	
$\wedge$	C/OS-3617-O	14	36	17	850	775	
	C/OS-4217-O	14	42	17	925	5 850	

Overhead Storage w/o Doors



C/OS-4817-O	14	48	17	1100	1000	
C/OS-5417-O	14	54	17	1250	1125	
C/OS-6017-O	14	60	17	1275	1150	
C/OS-6617-O	14	66	17	1425	1300	
C/OS-7217-O	14	72	17	1575	1425	
C/OS-7817-O	14	78	17	1775	1600	
C/OS-8417-O	14	84	17	1900	1725	

Overhead Storage w/o Doors



C/OS-9017-O	14	90	17	2000	1800	
C/OS-9617-O	14	96	17	2150	1950	
C/OS-10217-O	14	102	17	2275	2050	
C/OS-10817-O	14	108	17	2375	2150	
C/OS-11417-O	14	114	17	2475	2250	
C/OS-12017-O	14	120	17	2575	2325	

Wall-hung overhead storage cabinets are supplied with a mounting cleat but do not include cleat attachment hardware. It is the responsibility of the purchaser to ensure that the supporting wall structure and cleat attachment method will support the size and weight of the specific cabinet selected. Wall backing is recommended.

 $(\mathbf{W})$ ood or  $(\mathbf{L})$ aminate must be specified as part of model number.

#### Model No. Wood (W) C/OS-3030-O 14 30 900 30 825 C/OS-3630-O 36 1000 900 14 30 C/OS-4230-O 14 42 30 1175 1075

Overhead Storage w/o Doors




Overhead Storage w/o Doors



C/OS-4830-O	14	48	30	1275	1150	
C/OS-5430-O	14	54	30	1475	1350	
C/OS-6030-O	14	60	30	1600	1450	
C/OS-6630-O	14	66	30	1700	1550	
C/OS-7230-O	14	72	30	1775	1600	
C/OS-7830-O	14	78	30	2000	1800	
C/OS-8430-O	14	84	30	2150	1950	

Overhead Storage w/o Doors



C/OS-9030-O	14	90	30	2275	2050	
C/OS-9630-O	14	96	30	2575	2325	
C/OS-10230-O	14	102	30	2775	2500	
C/OS-10830-O	14	108	30	2975	2700	
C/OS-11430-O	14	114	30	3175	2875	
C/OS-12030-O	14	120	30	3475	3150	

Wall-hung overhead storage cabinets are supplied with a mounting cleat but do not include cleat attachment hardware. It is the responsibility of the purchaser to ensure that the supporting wall structure and cleat attachment method will support the size and weight of the specific cabinet selected. Wall backing is recommended.

Model No.	Depth	Width	Height	(W) pooM	Laminate (L)	Wt.
C/OS-3017-W	15	30	17	900	825	
C/OS-3617-W	15	36	17	1000	925	

Overhead Storage w/ Wood Doors




# Overhead Storage w/ Wood Doors




C/OS-4217-W	15	42	17	1150 1075
C/OS-4817-W	15	48	17	1325 1225
C/OS-5417-W	15	54	17	1475 1350

# Overhead Storage w/ Wood Doors



C/OS-6017-W	15	60	17	1575	1450	
C/OS-6617-W	15	66	17	1725	1600	
C/OS-7217-W	15	72	17	1875	1725	
C/OS-7817-W	15	78	17	2075	1900	
C/OS-8417-W	15	84	17	2200	2025	

# Overhead Storage w/ Wood Doors



C/OS-9017-W	15	90	17	2450 2250
C/OS-9617-W	15	96	17	2600 2400
C/OS-10217-W	15	102	17	2725 2500
C/OS-10817-W	15	108	17	2825 2600
C/OS-11417-W	15	114	17	2925 2700
C/OS-12017-W	15	120	17	3025 2775

Wall-hung overhead storage cabinets are supplied with a mounting cleat but do not include cleat attachment hardware. It is the responsibility of the purchaser to ensure that the supporting wall structure and cleat attachment method will support the size and weight of the specific cabinet selected. Wall backing is recommended.

Model No.	Depth	Width	Height	(W) pooM	Laminate (L)	Wt.
C/OS-3030-W	15	30	30	1200	1125	
C/OS-3630-W	15	36	30	1300	1200	

Overhead Storage w/ Wood Doors



Overhead	Storage	- w/	Wood	Doors
Overnead	Jioragi	C V V /	V V OO U	00013




C/OS-4230-W	15	42	30	1625 1525	
C/OS-4830-W	15	48	30	1725 1600	
C/OS-5430-W	15	54	30	1925 1800	

Overhead Storage w/ Wood Doors



C/OS-6030-W	15	60	30	2200 2050
C/OS-6630-W	15	66	30	2300 2150
C/OS-7230-W	15	72	30	2375 2200
C/OS-7830-W	15	78	30	2600 2400
C/OS-8430-W	15	84	30	2750 2550

Overhead Storage w/ Wood Doors



C/OS-9030-W	15	90	30	3175	2950
C/OS-9630-W	15	96	30	3475	3225
C/OS-10230-W	15	102	30	3675	3400
C/OS-10830-W	15	108	30	3875	3600
C/OS-11430-W	15	114	30	4075	3775
C/OS-12030-W	15	120	30	4375	4050

Wall-hung overhead storage cabinets are supplied with a mounting cleat but do not include cleat attachment hardware. It is the responsibility of the purchaser to ensure that the supporting wall structure and cleat attachment method will support the size and weight of the specific cabinet selected. Wall backing is recommended.

Model No.	Depth	Width	Height	(W) poo(M)	Laminate (L)	Wt.
C/OS-3017-G	15	30	17	1350	1275	
C/OS-3617-G	15	36	17	1450	1375	

Overhead Storage w/ Glass Doors




Overhead	Storage w	/ Glass	Doors
Overnead	Jiorage W	/ Ulass	00013




C/OS-4217-G	15	42	17	1825	1750	
C/OS-4817-G	15	48	17	2000	1900	
C/OS-5417-G	15	54	17	2150	2025	

Overhead Storage w/ Glass Doors



C/OS-6017-G	15	60	17	2475 2350
C/OS-6617-G	15	66	17	2625 2500
C/OS-7217-G	15	72	17	2775 2625
C/OS-7817-G	15	78	17	2975 2800
C/OS-8417-G	15	84	17	3100 2925

Overhead Storage w/ Glass Doors



C/OS-9017-G	15	90	17	3800 3600
C/OS-9617-G	15	96	17	3950 3750
C/OS-10217-G	15	102	17	4075 3850
C/OS-10817-G	15	108	17	4175 3950
C/OS-11417-G	15	114	17	4275 4050
C/OS-12017-G	15	120	17	4375 4125

Wall-hung overhead storage cabinets are supplied with a mounting cleat but do not include cleat attachment hardware. It is the responsibility of the purchaser to ensure that the supporting wall structure and cleat attachment method will support the size and weight of the specific cabinet selected. Wall backing is recommended.

# ON H

Overhead Storage w/ Glass Doors



Overhead	Storage w/	Glass	Doors
Overnead	Jiorage W	Giass	00013




C/OS-4230-G	15	42	30	2375	2275
C/OS-4830-G	15	48	30	2475	2350
C/OS-5430-G	15	54	30	2675	2550

Overhead Storage w/ Glass Doors



C/OS-6030-G	15	60	30	3200 3050
C/OS-6630-G	15	66	30	3300 3150
C/OS-7230-G	15	72	30	3375 3200
C/OS-7830-G	15	78	30	3600 3400
C/OS-8430-G	15	84	30	3750 3550

Overhead Storage w/ Glass Doors




C/OS-9030-G	15	90	30	4675 4450
C/OS-9630-G	15	96	30	4975 4725
C/OS-10230-G	15	102	30	5175 4900
C/OS-10830-G	15	108	30	5375 5100
C/OS-11430-G	15	114	30	5575 5275
C/OS-12030-G	15	120	30	5875 5550

Wall-hung overhead storage cabinets are supplied with a mounting cleat but do not include cleat attachment hardware. It is the responsibility of the purchaser to ensure that the supporting wall structure and cleat attachment method will support the size and weight of the specific cabinet selected. Wall backing is recommended.




Fabric Tack Panels

Tackable fabric panels are wall-mounted by means of offset wall-brackets. The appropriate brackets are included with the panel.



Tackable Fabric Panel



31" - 36" C/TP-(W) 11/2 221/2 350 34 37" - 42" C/TP-(W) 11/2 221/2 400 39 43" - 48" C/TP-(W) 11/2 221/2 500 51 55" - 60" C/TP-(W) 11/2 221/2 550 56 61" - 66" C/TP-(W) 11/2 221/2 600 62 67" - 72" C/TP-(W) 11/2 221/2 650 68 73" - 78" C/TP-(W) 11/2 221/2 700 73 79" - 84" C/TP-(W) 11/2 221/2 750 79 85" - 90" C/TP-(W) 11/2 221/2 800 84		Model	Depth	Width Height	Price	Wt.
37" - 42" C/TP-(W) 1½ 22½ 400 39 43" - 48" C/TP-(W) 1½ 22½ 450 45 49" - 54" C/TP-(W) 1½ 22½ 500 51 55" - 60" C/TP-(W) 1½ 22½ 550 56 61" - 66" C/TP-(W) 1½ 22½ 600 62 67" - 72" C/TP-(W) 1½ 22½ 650 68 73" - 78" C/TP-(W) 1½ 22½ 700 73 79" - 84" C/TP-(W) 1½ 22½ 750 79 85" - 90" C/TP-(W) 1½ 22½ 800 84	Up to 30"	C/TP-(W)	1 <sup>1</sup> /2	221/2	300	28
43" - 48"       C/TP-(W)       1½       22½       450       45         49" - 54"       C/TP-(W)       1½       22½       500       51         55" - 60"       C/TP-(W)       1½       22½       550       56         61" - 66"       C/TP-(W)       1½       22½       600       62         67" - 72"       C/TP-(W)       1½       22½       650       68         73" - 78"       C/TP-(W)       1½       22½       700       73         79" - 84"       C/TP-(W)       1½       22½       750       79         85" - 90"       C/TP-(W)       1½       22½       800       84	31" - 36"	C/TP-(W)	11/2	221/2	350	34
49" - 54"       C/TP-(W)       1½       22½       500       51         55" - 60"       C/TP-(W)       1½       22½       550       56         61" - 66"       C/TP-(W)       1½       22½       600       62         67" - 72"       C/TP-(W)       1½       22½       650       68         73" - 78"       C/TP-(W)       1½       22½       700       73         79" - 84"       C/TP-(W)       1½       22½       750       79         85" - 90"       C/TP-(W)       1½       22½       800       84	37" - 42"	C/TP-(W)	1 <sup>1</sup> /2	221/2	400	39
55" - 60"       C/TP-(W)       1½       22½       550       56         61" - 66"       C/TP-(W)       1½       22½       600       62         67" - 72"       C/TP-(W)       1½       22½       650       68         73" - 78"       C/TP-(W)       1½       22½       700       73         79" - 84"       C/TP-(W)       1½       22½       750       79         85" - 90"       C/TP-(W)       1½       22½       800       84	43" - 48"	C/TP-(W)	11/2	22 <sup>1</sup> / <sub>2</sub>	450	45
61" - 66" C/TP-(W) 1½ 22½ 600 62 67" - 72" C/TP-(W) 1½ 22½ 650 68 73" - 78" C/TP-(W) 1½ 22½ 700 73 79" - 84" C/TP-(W) 1½ 22½ 750 79 85" - 90" C/TP-(W) 1½ 22½ 800 84	49" - 54"	C/TP-(W)	1 <sup>1</sup> /2	221/2	500	51
67" - 72"       C/TP-(W)       1½       22½       650       68         73" - 78"       C/TP-(W)       1½       22½       700       73         79" - 84"       C/TP-(W)       1½       22½       750       79         85" - 90"       C/TP-(W)       1½       22½       800       84	55" - 60"	C/TP-(W)	11/2	221/2	550	56
73" - 78"       C/TP-(W)       1½       22½       700       73         79" - 84"       C/TP-(W)       1½       22½       750       79         85" - 90"       C/TP-(W)       1½       22½       800       84	61" - 66"	C/TP-(W)	11/2	221/2	600	62
79" - 84" C/TP-(W) 11/2 221/2 <b>750</b> 79 85" - 90" C/TP-(W) 11/2 221/2 <b>800</b> 84	67" - 72"	C/TP-(W)	11/2	221/2	650	68
85" - 90" <b>C/TP-(W)</b> 11/2 221/2 <b>800</b> 84	73" - 78"	C/TP-(W)	1 <sup>1</sup> /2	221/2	700	73
	79" - 84"	C/TP-(W)	1 <sup>1</sup> /2	221/2	750	79
91" - 96" <b>C/TP-(W)</b> 11/2 221/2 <b>850</b> 90	85" - 90"	C/TP-(W)	1 <sup>1</sup> /2	221/2	800	84
	91" - 96"	C/TP-(W)	1 <sup>1</sup> /2	221/2	850	90

<sup>•</sup> Specify (W)idth of panel

Š.

# **Crossroads Collection**

Model No. Ķ. C/HPL-(\*) Halogen Puck Light 100 21/2

\* Specify (B)lack or (S)ilver

• Requires Transformer


Halogen Transformer C/HT 1 150

• Powers one to three halogen lights





Halogen Switch w/ Dimmer



C/HS 2 5 1 150 1

- Touch pad switch with dimmer
- Switches up to three halogen transformers

Task Light w/ Wood Shroud



C/TLS-24	8	23	2	400	4
C/TLS-36	8	35	2	425	5
C/TLS-48	8	47	2	450	6
C/TLS-60	8	59	2	475	7

• Fluorescent light for overhead storage units

A R K

Architectural Response Kollection, Inc. 2918 Halladay Street Santa Ana, California 92705

Tel. 714 241.7100
Fax. 714 241.7600
Toll Free 888 241.7100
Email info@ark-inc.com
www.ark-inc.com